FINDINGS FOR PERMIT RENEWAL

Com	pany:	<u>Signa</u>	al Peak Energy Current Perm	nit Number: <u>C1993017</u>		
Date	Appli	cation	n Received: July 17, 2012 Renewal Due Date: May	9, 2013		
A.R.M	A.R.M. 17.24.416					
(1)	(a) Is (b) I	Was proper form submitted? Yes No. (a) Is form complete and correct? Yes No. (b) Is a copy of the newspaper notice and proof of publication provided? Yes Yes Yes (c) Is evidence provided that insurance is adequate? Yes No. Yes No. No. Yes No. Yes No.				
(2)	(a) Was an informal conference requested? Yes No.					
ARM	ARM 17.24.416 (2) continued					
(b)	Are there areas excepted from the standards of 82-4-227(3)(b) Yes 🗌 No. 🔀 If yes, provide narrative explanation.					
(c)	Is adequate bond provided? Yes 🛛 No. 🗌					
(3)	What	What is the permit term of the new permit? <u>5-years</u> This permit term shall not exceed 5 years.				
(4)	 (4) Is permit renewal being denied? Yes No. X (a) If yes, provide department findings for one or more of the following: 					
	 (i) The terms and conditions of the existing permit are not being satisfactorily met; (ii) The present strip or underground mining operations are not in compliance with the environmental protection standards of the Act or subchapters 5 through 9; (iii) The requested renewal substantially jeopardizes the operator's continuing responsibilit comply with the Act, the rules adopted pursuant thereto, and the reclamation plan on e permit areas; 		not in compliance with the apters 5 through 9; erator's continuing responsibility to			
		(iv)	•	for the proposed period of renewal, as		
		(v)	any additional revised or updated information required provided by the applicant;	by the department has not been		
		(vi)	 the applicant has not agreed to comply with all application of renewal; At this time Westmoreland Coal under a separate in Kentucky is currently under the appeal process for fatime the violation does not affect their ability to operate conditions of the approved permit. the renewal is prohibited by the denial provisions of 82- 	subsidiary Island Creek Coal located ilure to collect water samples. At this Area C Mine permit within the		
		(vii) (i)	the operation has been in a state of temporary cessation			
(b)(c))(d)	If per	ermit renewal is denied, all documentation must be provid	led showing reason(s) for denial.		

Decision documents have been sent to:

Signal Peak Energy, LLC 2013 Renewal-Written Findings February 27, 2013 Page 2 of 2

1)	the applicant	\boxtimes
2)	objectors	1

3) commentors \square

Are there new stipulations to be attached to the renewal? Yes \Box No. \boxtimes

A check of OSM's Applicant Violator System (AVS) was completed on January 17, 2013; no problems were identified that would preclude issuance of the permit.

Preparer's Signature

Reviewer's Signature

FC: 2013 Renewal